

10/804, 525

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Wednesday, February 02, 2005

Hide?	Set Name	Query	Hit Count
	<i>DB=PGPB,USPT,EPAB; THES=ASSIGNEE; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L1	cotton or (gossypium adj hirsutum)	106711
<input type="checkbox"/>	L2	(plant adj habit) near10 intermediate	121
<input type="checkbox"/>	L3	foliage near10 intermediate	85
<input type="checkbox"/>	L4	stem near10 erect	884
<input type="checkbox"/>	L5	growth near10 intermediate	3039
<input type="checkbox"/>	L6	leaf near10 (medium adj green)	1138
<input type="checkbox"/>	L7	leaf and (pubescence near5 sparse)	206
<input type="checkbox"/>	L8	leaf and (nectaries near5 present)	0
<input type="checkbox"/>	L9	glands and (calyx adj lobe near5 normal)	21
<input type="checkbox"/>	L10	flower and (petals or pollen) near5 cream	308
<input type="checkbox"/>	L11	flower and (petal adj spot near5 absent)	22
<input type="checkbox"/>	L12	nematode and (moderately adj resistant)	76
<input type="checkbox"/>	L13	(fusarium adj wilt) and (moderately adj resistant)	12
<input type="checkbox"/>	L14	cynthia near5 green.in.	6
<input type="checkbox"/>	L15	dawn near5 fraser.in.	1
<input type="checkbox"/>	L16	800/260,263-266,268,269,274,277-279,281,284,314.ccls.	4367
<input type="checkbox"/>	L17	435/410,421,427,430,430.1,468.ccls.	3584
<input type="checkbox"/>	L18	L1 and L2	11
<input type="checkbox"/>	L19	L18 and L3	7
<input type="checkbox"/>	L20	L19 and L4	2
<input type="checkbox"/>	L21	L20 and L5	1
<input type="checkbox"/>	L22	L21 and L6	0
<input type="checkbox"/>	L23	L20 and L7	1
<input type="checkbox"/>	L24	L20 and L9	1
<input type="checkbox"/>	L25	L20 and L10	2
<input type="checkbox"/>	L26	L25 and L11	2
<input type="checkbox"/>	L27	L26 and L12	1
<input type="checkbox"/>	L28	L27 and L13	1
<input type="checkbox"/>	L29	L1 and (L14 or L15)	4

END OF SEARCH HISTORY

Hit List

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 6008438 A

Using default format because multiple data bases are involved.

L28: Entry 1 of 1

File: USPT

Dec 28, 1999

US-PAT-NO: 6008438

DOCUMENT-IDENTIFIER: US 6008438 A

TITLE: Cotton cultivar DP 2379

DATE-ISSUED: December 28, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Keim; Don Lee	Leland	MS		

US-CL-CURRENT: 800/314; 435/427, 800/260

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KIMC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Terms	Documents
L27 and L13	1

Display Format:

[Change Format](#)[Previous Page](#)[Next Page](#)[Go to Doc#](#)

10/804,525

FILE 'AGRICOLA' ENTERED AT 13:30:38 ON 02 FEB 2005

FILE 'CABA' ENTERED AT 13:30:38 ON 02 FEB 2005
COPYRIGHT (C) 2005 CAB INTERNATIONAL (CABI)

FILE 'BIOSIS' ENTERED AT 13:30:38 ON 02 FEB 2005
Copyright (c) 2005 The Thomson Corporation.

=> s cotton or (gossypium(w)hirsutum)
L1 125316 COTTON OR (GOSSYPIMUM(W) HIRSUTUM)

=> s (plant(w)habit)(10a)intermediate
L2 9 (PLANT(W) HABIT)(10A) INTERMEDIATE

=> s foliage(10a)intermediate
L3 99 FOLIAGE(10A) INTERMEDIATE

=> s stem(10a)erect
L4 257 STEM(10A) ERECT

=> s growth(10a)intermediate
L5 3289 GROWTH(10A) INTERMEDIATE

=> s leaf(10a)(medium(w)green)
L6 19 LEAF(10A)(MEDIUM(W) GREEN)

=> s leaf and (pubescence(5a)sparse)
L7 7 LEAF AND (PUBESCENCE(5A) SPARSE)

=> s leaf and (nectaries(5a)present)
L8 11 LEAF AND (NECTARIES(5A) PRESENT)

=> s glands and (calyx(w)lobe and normal)
L9 0 GLANDS AND (CALYX(W) LOBE AND NORMAL)

=> s flower and (petals or pollen)(5a)cream
L10 12 FLOWER AND (PETALS OR POLLEN)(5A) CREAM

=> s flower and (petal(w)spot)(5a)absent
L11 0 FLOWER AND (PETAL(W) SPOT)(5A) ABSENT

=> s nematode and (moderately(w)resistant)
L12 474 NEMATODE AND (MODERATELY(W) RESISTANT)

=> s (fusarium(w)wilt) and (moderately(w)resistant)
L13 150 (FUSARIUM(W) WILT) AND (MODERATELY(W) RESISTANT)

=> s green c/au
L14 345 GREEN C/AU

=> s fraser d/au
L15 662 FRASER D/AU

=> s L1 and L2
L16 1 L1 AND L2

=> s L16 and L3
L17 0 L16 AND L3

=> s L1 and L3
L18 2 L1 AND L3

=> s L1 and L4
L19 2 L1 AND L4

=> s L1 and L5
L20 32 L1 AND L5

=> s L20 and L6
L21 0 L20 AND L6

=> s L20 and L7
L22 0 L20 AND L7

=> s L1 and L6
L23 0 L1 AND L6

=> s L1 and L7
L24 1 L1 AND L7

=> s L1 and L8
L25 0 L1 AND L8

=> s L1 and L10
L26 0 L1 AND L10

=> s L1 and L12
L27 20 L1 AND L12

=> s L27 and L13
L28 3 L27 AND L13

=> s L1 and L14
L29 1 L1 AND L14

=> s L1 and L15
L30 7 L1 AND L15

L16 ANSWER 1 OF 1 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation. on STN
TI CYTO MORPHOLOGICAL STUDIES IN AN INTERGENERIC HYBRID BETWEEN
GOSSYPIMUM - ***HIRSUTUM*** 2N EQUALS 52 AND HIBISCUS-
PANDURAEFORMIS.
SO Euphytica, (1980) Vol. 29, No. 2, pp. 323-330.
CODEN: EUPHAA. ISSN: 0014-2336.
AU MEHETRE S S [Reprint author]; THOMBRE M V; TYAB M A

L18 ANSWER 1 OF 2 CABA COPYRIGHT 2005 CABI on STN
TI Host plant effects on the activity of selected nuclear polyhedrosis
viruses against the corn earworm and beet armyworm (Lepidoptera:
Noctuidae).
SO Environmental Entomology, (2000) Vol. 29, No. 1, pp. 108-115. 25 ref.
Publisher: Entomological Society of America.
ISSN: 0046-225X
AU Farrar, R. R., Jr.; Ridgway, R. L.

L18 ANSWER 2 OF 2 CABA COPYRIGHT 2005 CABI on STN
TI Registration of 'Acala 1517-95' ***cotton***
SO Crop Science, (1995) Vol. 35, No. 4, pp. 1227-1228. 3 ref.
ISSN: 0011-183X
AU Cantrell, R. G.; Roberts, C. L.; Barnes, C. E.

L19 ANSWER 1 OF 2 CABA COPYRIGHT 2005 CABI on STN
TI ***Cotton*** variety Ogosta.
SO Zemedelie, (1988) Vol. 86, No. 5, pp. 32.
Secondary Source: Abstracts of Bulgarian Scientific Literature, A (1989)
34 (1) Abst. 183
AU Kunovska, A.

L19 ANSWER 2 OF 2 CABA COPYRIGHT 2005 CABI on STN
TI Cloth from bast fibre of the Calotropis procera (Aak) plant.
SO Biological Wastes, (1988) Vol. 26, No. 3, pp. 229-232. 2 ref.
AU Varshney, A. C.; Bhoi, K. L.

L31 ANSWER 1 OF 28 CABA COPYRIGHT 2005 CABI on STN DUPLICATE 1
TI Cytomorphology of interspecific hybrids between ***Gossypium***
hirsutum L., its haploid and Gossypium raimondii.
SO Indian Journal of Genetics and Plant Breeding, (2003) Vol. 63, No. 4, pp.
319-324. 23 ref. Publisher: Indian Society of Genetics & Plant Breeding.
ISSN: 0019-5200
AU Mehetre, S. S.; Gawande, V. L.; Aher, A. R.; Shinde, G. C.

L31 ANSWER 2 OF 28 CABA COPYRIGHT 2005 CABI on STN

- TI 'Absorption, translocation, and metabolism of CGA 362622 in ***cotton***
and two weeds.
SO Weed Science, (2003) Vol. 51, No. 2, pp. 157-162. 25 ref. Publisher: Weed
Science Society of America.
ISSN: 0043-1745
AU Richardson, R. J.; Hatzios, K. K.; Wilson, H. P.
- L31 ANSWER 3 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI A preliminary study on the regularity of growth of Sea Island
cotton
SO China Cotton, (2003) Vol. 30, No. 7, pp. 17-19. 4 ref. Publisher: Chinese
Academy of Agricultural Sciences (CAAS), Sciencetech Documentation and
Information Centre.
ISSN: 1000-632x
AU Xu ChongZhi; Li Qing; Wang RuiQing; Zeng Chao; Xu, C. Z.; Li, Q.; Wang, R.
Q; Zeng, C.
- L31 ANSWER 4 OF 28 CABA COPYRIGHT 2005 CABI on STN DUPLICATE 2
TI Life history traits of Aphis gossypii Glover (Hom., Aphididae) reared on
four widely distributed weeds.
SO Journal of Applied Entomology, (2002) Vol. 126, No. 2/3, pp. 97-100. 25
ref. Publisher: Blackwell Wissenschafts-Verlag GmbH.
ISSN: 0931-2048
AU Perng, J. J.
- L31 ANSWER 5 OF 28 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation. on
STN
TI Phenotypic characteristics of protoplast fusants of Trichoderma virens and
T. longibrachiatum.
SO Phytopathology, (June, 2001) Vol. 91, No. 6 Supplement, pp. S40. print.
Meeting Info.: Joint Meeting of the American Phytopathological Society,
the Mycological Society of America, and the Society of Nematologists. Salt
Lake City, Utah, USA. August 25-29, 2001. American Phytopathological
Society; Mycological Society of America; Society of Nematologists.
CODEN: PHYTAJ. ISSN: 0031-949X.
AU Howell, C. R. [Reprint author]; Hanson, L. E.; Puckhaber, L. S.;
Stipanovic, R. D. [Reprint author]
- L31 ANSWER 6 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI The effect of planting density, fertilizers and chemical regulators on the
growth and yield of ***cotton***
SO Jiangsu Agricultural Sciences, (1999) No. 2, pp. 29-32.
ISSN: 1002-1302
AU Liu YiXin; Su Hong; Wang Jun; Zhang WuShun; Liu, Y. X.; Su, H.; Wang, J.;
Zhang, W. S.
- L31 ANSWER 7 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Registration of 'Acala 1517-95' ***cotton***
SO Crop Science, (1995) Vol. 35, No. 4, pp. 1227-1228. 3 ref.
ISSN: 0011-183X
AU Cantrell, R. G.; Roberts, C. L.; Barnes, C. E.
- L31 ANSWER 8 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Growth and development of bolls and sugar components in fibre of
short-season ***cotton***
SO Acta Agriculturae Shanghai, (1995) Vol. 11, No. 3, pp. 23-26. 5 ref.
ISSN: 1000-3924
AU Hong JiRen; Lu XueQing; Wang ShaoOu; Hong, J. R.; Lu, X. Q.; Wang, S. O.
- L31 ANSWER 9 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI A new ***cotton*** variety of low gossypol content - Zhemian 9.
SO China Cottons, (1990) No. 5, pp. 23.
AU Yu, B. X.; Xia, R. B.; Wang, X. D.; Zhu, Q. G.; Qiu, X. M.
- L31 ANSWER 10 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Earliness of Gossypium barbadense varieties.
SO 1 Respublikanskaya konferentsiya molodykh uchenykh "Teoreticheskie i
prikladnye aspekty genetiki i selektsii zhivotnykh, rastenii i
mikroorganizmov", Tashkent, 19-21 iyunya, 1990: Tezisy dokladov, (1990)
pp. 19-20. Meeting Info.: 1 Respublikanskaya konferentsiya molodykh
uchenykh "Teoreticheskie i prikladnye aspekty genetiki i selektsii
zhivotnykh, rastenii i mikroorganizmov", Tashkent, 19-21 iyunya, 1990:
Tezisy dokladov.
Secondary Source: Referativnyi Zhurnal (1991) 3Ya3092
AU Ibragimov, P. Sh.; Amanturdiev, A. B.
- L31 ANSWER 11 OF 28 CABA COPYRIGHT 2005 CABI on STN DUPLICATE 3

- TI Effect of age of cell suspension cultures on susceptibility to a fungal elicitor.
SO Plant Cell, (1989) Vol. 7, No. 8, pp. 692-695. 17 ref.
ISSN: 1040-4651
AU Apostol, I.; Low, P. S.; Heinsteins, P.
- L31 ANSWER 12 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Variation in three economically useful traits following use in hybridization of the wild diploid species *Gossypium anomalum* Wawra et Peyr.
SO Sbornik Nauchnykh Trudov po Prikladnoi Botanike, Genetike i Selekcii, (1989) Vol. 125, pp. 106-111. 15 ref.
ISSN: 0202-3628
AU Shakhmedova, G. S.
- L31 ANSWER 13 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI A study of the developmental regularity and physiological specificity of short-season ***cotton***
SO Scientia Agricultura Sinica, (1987) Vol. 20, No. 3, pp. 15-22. 8 ref.
ISSN: 0578-1752
AU Deng, S. H.; Jiang, G. Z.
- L31 ANSWER 14 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI [Effect of sodium chloride on the growth and mineral nutrition of six cultivated plant species].
Effet de chlorure de sodium sur la croissance et la nutrition minerale de six especes de plantes cultivees.
SO Agronomie Tropicale, (1986) Vol. 41, No. 1, pp. 21-26. 25 ref.
ISSN: 0151-1238
AU Slama, F.
- L31 ANSWER 15 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Interspecific hybrid ****Gossypium**** ****hirsutum**** L. subsp. *mexicanum* (Tod.) Mauer var. *nervosum* (Watt) Mauer X *G. mustelinum* ex Watt.
SO Uzbekiston Biologiya Zurnali, (1983) No. 5, pp. 47-49. 7 ref.
AU Omel'chenko, M. V.; Abdullaev, A. A.
- L31 ANSWER 16 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Effects of accelerated aging treatments on six ***cotton*** cultivars.
SO Crop Science, (1982) Vol. 22, No. 3, pp. 637-640. 16 ref.
ISSN: 0011-183X
AU Bourland, F. M.; Ibrahim, A. A. L.
- L31 ANSWER 17 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Effects of fumigating crops with hydrogen sulfide or sulfur dioxide.
SO California Agriculture, (1979) Vol. 33, No. 3, pp. 9-10.
ISSN: 0008-0845
AU Thompson, C. R.; Kats, G.; Lennox, R. W.
- L31 ANSWER 18 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Comparative physiological studies among three near-isogenic lines of ****Gossypium**** ****hirsutum**** L.
SO Dissertation Abstracts International, B, (1977) Vol. 38, No. 5, pp. 1983B-1984B. Order No: 77-24,937. Meeting Info.:
AU Mohamed Elhabib Ibrahim; Ibrahim, M. E.; Mohamed El-Habib Ibrahim
- L31 ANSWER 19 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Some physiological effects of high sodium, calcium and chloride concentrations on ***cotton***
SO Dissertation Abstracts International, B, (1977) Vol. 38, No. 4, pp. 1486-1487. Order No: 77-20 357. Meeting Info.:
AU Calahan, J. S.
- L31 ANSWER 20 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Growth analysis of diverse Upland cottons in varied cultures.
SO Dissertation Abstracts International, B, (1976) Vol. 37, No. 2, pp. 544B. Order No: 76-17,347. Meeting Info.:
AU Coy, A. E.
- L31 ANSWER 21 OF 28 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation. on STN
TI THE EFFECT OF INTERMEDIATE CROPS ON VERTICILLIUM WILT OF ***COTTON***
SO Sel'skokhozyaistvennaya Biologiya, (1976) Vol. 11, No. 5, pp. 781-782.
CODEN: SSBLAO. ISSN: 0131-6397.
AU MANNAPOVA M
- L31 ANSWER 22 OF 28 CABA COPYRIGHT 2005 CABI on STN

TI 'Growth analyses of diverse upland cottons in varied cultures.
SO Dissertation Abstracts International, B, (1976) Vol. 37, No. 2, pp. 544.
Order No: 76-17,347. Meeting Info.:
AU Coy, A. E.

L31 ANSWER 23 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Root inhibition of ***cotton*** and soybeans by profluralin,
trifluralin and dinitramine.
SO Proceedings 29th Annual Meeting Southern Weed Science Society, (1976) pp.
51. Price: Abstract only; Conference paper. Meeting Info.: Proceedings
29th Annual Meeting Southern Weed Science Society.
AU Weed, G. C.; Murray, D. S.; Buchanan, G. A.

L31 ANSWER 24 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI [On the effects of intermediate crops on the behaviour of Verticillium
dahliae Kleb. in the soil].
O vliyanii promezhutochnykh kul'tur na povedenie Verticillium dahliae
Kleb. v pochve.
SO Mikologiya i Fitopatologiya, (1975) Vol. 9, No. 1, pp. 34-37. 2 tab.
ISSN: 0026-3648
AU Marshunova, G. N.; Muromtsev, G. S.

L31 ANSWER 25 OF 28 CABA COPYRIGHT 2005 CABI on STN DUPLICATE 4
TI The effect of planting distribution and nitrogen level on the yield and
its components of some Egyptian ***cotton*** varieties.
SO Agricultural Research Review, (1975) Vol. 53, No. 9, pp. 9-23. 24 ref.
ISSN: 0374-5252
AU Hattab, A. H. El; Galil, A. A. A.; Raheem, A. A.; El Hattab, A. H.

L31 ANSWER 26 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI New ***cotton*** varieties with intermediate type of branching.
SO Kooperativno Zemedelie, (1973) Vol. 27, No. 4, pp. 14-16.
AU Boshinov, M.

L31 ANSWER 27 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI The duration of the period of growth in ***cotton*** bolls.
SO Tr. Sredneaz. opyt. st. VNII rastenievodstva, (1972) No. 2, pp. 68-73.
Secondary Source: Referativnyi Zhurnal (1973) 1.55.500
AU Senoedov, V. P.

L31 ANSWER 28 OF 28 CABA COPYRIGHT 2005 CABI on STN
TI Yield and inheritance of certain characters in hybrid populations from
intervarietal crosses.
SO Materialy pyatoi ob"edinennoi konferentsii molodykh uchenykh po sel'skomu
khozyaistvu Uzbekistana (selektzii, genetika i semenovodstvo khlopchatnika
i lyutserny), (1968) pp. 3-12.
AU Ergabulov, Zh.

L24 ANSWER 1 OF 1 CABA COPYRIGHT 2005 CABI on STN
TI Effects of the resistance of nectariless and smooth ***leaf***
cotton on bollworms and its utilization.
SO China Cottons, (1988) No. 3, pp. 46-47.
AU Luo, Y.; Bu, L. Y.; Liu, Z. Z.; Li, Y. J.; Wang, J. Y.

L28 ANSWER 1 OF 3 CABA COPYRIGHT 2005 CABI on STN
TI ***Cotton*** resistance to the root knot- ***Fusarium***
wilt complex. II. Relation to root-knot resistance and its
implications on breeding for resistance.
SO Crop Science, (1986) Vol. 26, No. 2, pp. 233-237. 24 ref.
ISSN: 0011-183X
AU Shepherd, R. L.

L28 ANSWER 2 OF 3 CABA COPYRIGHT 2005 CABI on STN
TI Resistance to root-knot ***nematode*** in control of root-knot
nematode - ***fusarium*** ***wilt*** disease complex in
cotton.
SO Crop Science, (1979) Vol. 19, No. 6, pp. 898-901. 18 ref.
ISSN: 0011-183X
AU Hyer, A. H.; Jorgenson, E. C.; Garber, R. H.; Smith, S.

L28 ANSWER 3 OF 3 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation. on STN
TI RESISTANCE TO ROOT-KNOT ***NEMATODE*** IN CONTROL OF ROOT-KNOT
NEMATODE ***FUSARIUM*** ***WILT*** DISEASE COMPLEX IN

COTTON ***GOSSYPIMUM*** - ***HIRSUTUM***
SO Crop Science, (1979) Vol. 19, No. 6, pp. 898-901.
CODEN: CRPSAY. ISSN: 0011-183X.
AU HYER A H [Reprint author]; JORGENSEN E C; GARBER R H; SMITH S